

	Application No.	Applicant(s)
Notice of Allowability	10/511,444	RIEDEL, UWE JOHANN
	Examiner	Art Unit
	Marissa L. Ferguson-Samreth	2854
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>an amendment filed on 1/5/07</u> .		
2. 🔀 The allowed claim(s) is/are <u>31-33 and 36-43</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. ☐ Notice of Preferences Cited (* 10-092)	6. Interview Summary	• •
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. 🖾 Examiner's Amendn	e
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	8 M Evaminer's Stateme	ent of Reasons for Allowance
	9. ☐ Other	ant of Neasons for Allowance

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Hanscomb on March 25, 2007. The purpose of the examiner's amendment was to place the application in condition for allowance by adding claim language to claim 1.

The application has been amended as follows:

## IN THE CLAIMS:

In claim 1: In lines 2 and 3, "first and second spaced cylinder ends and a cylinder body between said first and second cylinder ends; has been deleted and - - first and second spaced cylinder ends and a cylinder body between said first and second cylinder ends, said cylinder body being adapted to print at least one image, in a first image location, on the web engageable with said cylinder body- - has been inserted.

<u>In claim 1:</u> In line 5, "a" has been deleted and - - the- - has been inserted.

<u>In claim 1:</u> In line 11, - - said- - has been inserted prior to "at least".

In claim 1: In lines 11 and 12, "formed on said web engagable with said cylinder body" has been deleted and - - printed on the web engagable with said cylinder body from said first image location to a second image location, different from said first image

Application/Control Number: 10/511,444

Art Unit: 2854

location, as a function of said imposition of said cylinder bend on said cylinder - has been inserted.

The following is an examiner's statement of reasons for allowance:

Regarding claim 1, the prior art does not meet or render obvious first and second spaced cylinder ends and a cylinder body between the first and second cylinder ends, the cylinder body being adapted to print at least one image, in a first image location, on the web engageable with the cylinder body and means shifting the first and second spaced cylinder ends and the cylinder body with respect to each other to impose a cylinder bend on the cylinder in one of a direction in, and opposite to the web-travel direction to displace location of said at least one image element printed on the web engagable with the cylinder from said first image location to a second image location, different from said first image location, as a function of said imposition of said cylinder bend on said cylinder.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marissa L. Ferguson-Samreth whose telephone number is (571) 272-2163. The examiner can normally be reached on (M-T) 6:30am-4:00pm and every other(F) 7:30am-4:00.

Application/Control Number: 10/511,444 Page 4

Art Unit: 2854

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> Marissa L Ferguson-Samreth Examiner Art Unit 2854

**MFS** 

Daniel J. Colilla **Primary Examiner** 

Art Unit 2854